



TR-5 S2 LOUDSPEAKER

OVERVIEW



The new TR-5 S2 loudspeaker was conceived to build on the performance and excitement of the design in its previous version. Renowned for its detail and 'openness', its predecessor became a very popular standmount model that offered excellent value for money. Now - after intense listening sessions and R&D - we have managed to develop it into something significantly better.



This new model features fresh innovations to result in a more controlled and faster sound. Among these developments we have employed a new crossover, with new electrical components and a redesigned internal cabinet that incorporates completely new damping materials. This results in palpably wider and deeper soundstage coupled with increased neutrality and a speedy, tighter and deeper bass response.





The TR-5 S2 bass drive unit is custom designed to ensure an extended and accurate bass from a relatively small cabinet. Likewise, the dedicated ribbon tweeter provides an open, fast high frequency with clarity, extension and accuracy. The seamless integration of the two ensures a delicate, full and powerful presentation of the music. Housing them is an aesthetically pleasing and solidly-built piano lacquered cabinet. The end result is a cohesively musical, dynamic performance and a super-detailed, three-dimensional soundstage akin to that offered by significantly larger high-end loudspeakers.



SPECIFICATIONS

Tweeter _____ High tolerance dedicated ribbon
Woofer _____ Custom designed, 130mm coated paper cast chassis with double magnets
Input Sensitivity _____ (1W, 1m) >88 dB
Impedance _____ >6 Ω
_____ Nominally 8 Ω
Frequency response _____ 39 Hz - 20 kHz (in room response)
_____ 55 Hz - 20kHz (-6dB)
Nominal Power Handling _____ 60 Watts
Peak Power Handling _____ 100 Watts
Dimensions (H x W x D) _____ 370 x 190 x 280mm
Weight (each cabinet) _____ 8kg





Roksan Audio Limited

Jubilee Close
Townsend Lane
London
NW9 8TR

+44 (0)20 8900 6801
info@roksan.co.uk

www.roksan.co.uk

Roksan Audio Ltd TR-5 S2 Loudspeaker User Manual

CLASSIFICATION: General Use Version: 1.10
All specifications are liable to change without notice. E&OE